



Situated overlooking the Lake District, Lakeland Pavers takes inspiration from the surrounding natural beauty.

Lakeland Pavers offer both practical and aesthetically satisfying products that enhance all types of properties.



# PAGES CONTENTS 1-6 Labeland DRIVEWAY - The Traditional Range 7-12 Labeland DERWENTSTONE® - The Elegant Range 13-18 Labeland KENDALSTONE - The Desirable Range 19-20 Labeland INGLESTONE - The Permeable Range 21-22 Labeland LOWTHERSTONE - The Striking Range 23-24 Labeland MERESTONE® - The Enviable Range 25-28 Labeland ACCESSORIES - KERBS, CORNERS, RADIAL KERBS, CHANNELS & CIRCLES 29-30 TECHNICAL INFORMATION - LAYOUT PATTERNS

Every effort is made to ensure that colour samples match as close as possible to the product. Due to print and photographic processes, all colours should be used as a guide only.



Left: Lakeland Driveway in Brindle with Charcoal border and edged with Lakeland Q Kerb in Charcoal Below: Lakeland Driveway in Buff Right: Lakeland Driveway in Red

# Lakeland DRIVEWAY


The Traditional Range

**50mm** - suitable for residential drives, paths and patios 60mm - suitable for drives and lightly trafficked roads **80mm** - suitable for commercial sites

Available in Ash, Autumn, Brindle, Brown, Buff, Charcoal, Harvest, Marigold, Natural, Red and Sunset

THICKNESS	SIZE	M <sup>2</sup> PER PACK	NO. PER PACK
50mm	200mm × 100mm	9.76m <sup>2</sup>	488
60mm	200mm × 100mm	8.48m <sup>2</sup>	424
80mm	200mm x 100mm	5.92m <sup>2</sup>	296







Lakeland DRIVEWAY COLOURS



Left: Lakeland Driveway in Charcoal Below: Lakeland Driveway in Brindle







Every effort is made to ensure that colour samples match as close as possible to the product. Due to print and photographic processes, all colours should be used as a guide only.















Every effort is made to ensure that colour samples match as close as possible to the product. Due to print and photographic processes, all colours should be used as a guide only.

Every effort is made to ensure that colour samples match as close as possible to the product. Due to print and photographic processes, all colours should be used as a guide only.

5

6





Right: Lakeland Derwentstone® in Ash Below: Lakeland Derwentstone® in Charcoal



Left: Lakeland Derwentstone® in Original

# Lakeland DERWENTSTONE®

### The Elegant Range

50mm - suitable for residential drives, paths and patios 60mm - suitable for drives and lightly trafficked roads
Available in Original (a pale mix of Buff, Charcoal, Marigold, Red and Natural), Ash, Autumn, Brindle, Buff, Charcoal,
Grey (a pale mix of Buff, Charcoal, Marigold and Natural), Harvest and Sunset

50mm SINGLE SIZE PACK			
THICKNESS	SIZE	M <sup>2</sup> PER PACK	NO. PER PACK
50mm	105mm x 140mm	9.88m <sup>2</sup>	672
50mm DUAL SIZE PACK			
THICKNESS	CIZE	142 BEB B4 G14	
THICKINESS	SIZE	M <sup>2</sup> PER PACK	NO. PER PACK


THICKNESS	SIZE	M <sup>2</sup> PER PACK	NO. PER PACK
60mm	210mm × 140mm	8.35m <sup>2</sup>	284
60mm	140mm x 140mm	8.35m <sup>2</sup>	426
	60mm DUAL		
THICKNESS	SIZE	M <sup>2</sup> PER PACK	NO. PER PACK
60mm	210mm x 140mm 140mm x 140mm	8.35m <sup>2</sup>	170 170







Right: Labeland Derwentstone® in Original 50mm Dual Size and Original and Charcoal in 50mm Single Size





Above: Lakeland Derwentstone® in Sunset with Charcoal borders **Left:** *Lakeland* Derwentstone® in Original with *Lakeland* Q Kerbs in Original

Lakeland DERWENTSTONE® COLOURS



Every effort is made to ensure that colour samples match as close as possible to the product. Due to print and photographic processes, all colours should be used as a guide only.

















Every effort is made to ensure that colour samples match as close as possible to the product. Due to print and photographic processes, all colours should be used as a guide only.

Every effort is made to ensure that colour samples match as close as possible to the product. Due to print and photographic processes, all colours should be used as a guide only.



Left: Lakeland Kendalstone in Sunset **Right:** *Lakeland* Kendalstone in Ash with Charcoal borders Below: Lakeland Kendalstone in Harvest

# Labeland KENDALSTONE


The Desirable Range


**50mm** - suitable for residential drives, paths and patios **60mm** - suitable for drives and lightly trafficked roads Available in Ash, Autumn, Brindle, Buff, Charcoal, Harvest and Sunset Other colours can be produced, subject to order

50mm SINGLE SIZE PACK			
THICKNESS	SIZE	M <sup>2</sup> PER PACK	NO. PER PACK
50mm	105mm × 140mm	11.29m <sup>2</sup>	768
50mm DUAL SIZE PACK			
	50mm DUAL	SIZE PACK	
THICKNESS	<b>50mm DUAL</b> SIZE		NO. PER PACK

60mm SINGLE SIZE PACK				
THICKNESS	SIZE	M <sup>2</sup> PER PACK	NO. PER PACK	
60mm	210mm x 140mm	8.23m <sup>2</sup>	280	
60mm	140mm x 140mm	8.23m <sup>2</sup>	420	








Above: Lakeland Kendalstone in Autumn with Lakeland Kendalstone Harvest inset Right: Lakeland Kendalstone in Brindle Far Right: Lakeland Kendalstone in Charcoal





# Lakeland KENDALSTONE COLOURS













Every effort is made to ensure that colour samples match as close as possible to the product. Due to print and photographic processes, all colours should be used as a guide only.



Right: Lakeland Inglestone in Brindle
Below: Lakeland Inglestone in Brindle
Opposite Page: Lakeland Inglestone
in Brindle

Permeable paving, when used in conjunction with a properly constructed SUDS system offers a range of benefits:

- Allows rainfall to filter through the paved area, without weakening the structural integrity.
- Attenuation of rainfall, allowing it to be gradually absorbed into either the ground or controlled release through outflow pipes.
- Cost effective, when taking into account the absence of pipework, gulleys and inspection chambers, etc.
- Compliance with planning guidance (PPG25) 'Development and flood risks'.
- Improved water amenity achieved as the paving system acts as a filter of pollutants,



# Lakeland INGLESTONE

The Permeable Range


Lakeland Inglestone is an **80mm** Permeable Paver which allows water to pass through the paved area and sub base to outflow pipes or infiltration to ground. Suitable for a wide variety of residential, commercial and industrial applications. Planners should be requesting CBPP and other SUDS systems for all types of developments.

Available in **Brindle**, **Charcoal** and **Natural**. Other colours also available, please enquire for further details.

THICKNESS	SIZE	M <sup>2</sup> PER PACK	NO. PER PACK
80mm	214mm x 107mm	7.33m <sup>2</sup>	320



# Labeland INGLESTONE COLOURS





Every effort is made to ensure that colour samples match as close as possible to the product. Due to print and photographic processes, all colours should be used as a guide only.

20



# Labeland LOWTHERSTONE

The Striking Range

60mm - suitable for drives and lightly trafficked roads Available in Ash, Autumn, Brindle, Charcoal and Harvest Other colours are also available, please enquire for further details

THICKNESS	SIZE		
60mm	180mm x 120mm 120mm x 120mm	9.07m <sup>2</sup>	252 252




Above: Lakeland Lowtherstone in Autumn and Ash Left: Lakeland Lowtherstone in Ash
















Every effort is made to ensure that colour samples match as close as possible to the product. Due to print and photographic processes, all colours should be used as a guide only.



**Left & Right: Lakeland** Merestone® in Ash

# Labeland MERESTONE®

The Enviable Range


50mm - suitable for residential drives, paths and patios 60mm - suitable for drives and lightly trafficked roads
A textured finish available in Ash and Charcoal


Other colours are also available, please enquire for further details

50mm SINGLE SIZE PACK			
THICKNESS	SIZE	M <sup>2</sup> PER PACK	NO. PER PACK
50mm	105mm × 140mm	11.29m <sup>2</sup>	768
50mm DUAL SIZE PACK			
THICKNESS	SIZE	M <sup>2</sup> PER PACK	NO. PER PACK

60mm SINGLE SIZE PACK				
THICKNESS	SIZE	M <sup>2</sup> PER PACK	NO. PER PACK	
60mm	210mm x 140mm	8.23m <sup>2</sup>	280	
60mm	140mm x 140mm	8.23m <sup>2</sup>	420	







### ACCESSORIES

# KERBS & CHANNELS


Q KERBS & B KERBS

### The Q Kerb (or Quad Kerb)


The Q Kerb is designed to have the necessary edging to support a paved area. It is available in 3 colours - **Brindle, Charcoal** and **Red**. Each pack contains 19.2 linear metres (10 pieces per metre - 192 pieces per pack).

As the name suggests it can be used in 4 ways - **High** or **Low** - **Bullnose** (rounded) or **Chamfered** (bevelled).


It is also possible to make steps from Q Kerbs.




Q Kerb High Bullnose Position



Q Kerb Low Bullnose Position




Q Kerb High Chamfered Position




Q Kerb Low Chamfered Position

### Channels

A dished channel is available to remove excess water from a paved or any other area. Available in **Brindle, Charcoal** and **Red**. Each channel is 200mm × 100mm and the channel corners measuring 200mm × 200m allow a 90° turn.





### ACCESSORIES

# CORNERS


**O** KERBS

### The B Kerb (or Bi Kerb)


The B Kerb is designed to have the necessary edging to support a paved area. It is available in 4 colours - Autumn, Brindle, Charcoal and Red. Each pack contains 28.8 linear metres (10 pieces per metre - 288 pieces per pack).

As the name suggests it can be used in 2 ways - Bullnose (rounded) or Chamfered (bevelled).

It is also possible to make steps from B and Q Kerbs.



B Kerb Bullnose Position




B Kerb Chamfered Position

### Rumbled Q and B Kerbs

Also available are the Rumbled Q and B Kerbs to complement our range of Rumbled Pavers.


These are available in **Original**, **Brindle**, **Charcoal** and **Red**.




Q Kerb High External Bullnose Corner




Q Kerb High External Chamfered Corner




Q Kerb Low External Bullnose Corner




Q Kerb Low External Chamfered Corner




Q Kerb High Internal Bullnose Corner



Q Kerb High Internal Chamfered Corner




Q Kerb Low Internal Bullnose Corner




Q Kerb Low Internal Chamfered Corner


### B KERBS




B Kerb Small External
Bullnose Corner



B Kerb Small Internal Bullnose Corner




B Kerb Small External Chamfered Corner



B Kerb Small Internal Chamfered Corner

ACCESSORIES

Radial Kerbs are available to complement the Q Kerbs. These enable the kerb line to follow the contour of the paved area.





Left: Lakeland Q Kerbs and Radial Kerbs in Brindle in Bullnose position

# CIRCLES

### lakeland Castlerigg Circle


The Lakeland Castlerigg Circle is available either rumbled or unrumbled. Each circle comprises a centre piece and five rows covering an area of 1.89m<sup>2</sup> with a diameter of 1.55m. If the circle needs to be bigger additional pieces may be purchased on a special order.

Available in Original, Brindle, Charcoal and Harvest.

Castlerigg Circle diagram for illustration purposes only.

Ring Number	Diameter	Total no. extra Cobbles required
1	1.83	75
2	2.11	129
3	2.39	191
4	2.67	262
5	2.95	341
6	3.23	429
7	3.51	525
8	3.79	629
9	4.07	742
10	4.35	863
11	4.63	992
12	4.91	1,130
13	5.19	1,276
14	5.47	1,431
15	5.75	1,594
16	6.03	1,756
17	6.31	1,945
18	6.59	2,133
19	6.87	2,329
20	7.15	2,534
21	7.43	2,747
22	7.71	2,969

C - Cobble



### TECHNICAL INFORMATION

# LAYOUT PATTERNS

### Patterns

The pattern used can have a considerable effect on whether the end product is a functional feature or striking addition to the property.

### Imagination


Combine different colours, or even products, to create a drive, path or feature that has your own personality.

### 45° Herringbone




For the above use: Lakeland Driveway. Lakeland Inglestone.

## 90° Herringbone




For the above use: Lakeland Driveway, Lakeland Inglestone.

### Stretcher Bond




For the above use: Lakeland Driveway, Labeland Inglestone.

### Basket Weave




For the above use: Lakeland Driveway lakeland Inglestone.

### Dual Size Stretcher Bond




For the above use: lakeland Derwentstone® Lakeland Kendalstone, Lakeland Merestone®, Lakeland Lowtherstone.

### Dual Size Offset Herringbone




For the above use: Lakeland Derwentstone® Lakeland Kendalstone, Lakeland Merestone®, Lakeland Lowtherstone.

### Dual Size Chequer



For the above use: Lakeland Derwentstone® Lakeland Kendalstone. Lakeland Merestone®, Lakeland Lowtherstone.

### 3 Size Stretcher Bond



For the above use: Lakeland Derwentstone®, including Lakeland Derwentstone® cobble. **Lakeland** Kendalstone including Lakeland Kendalstone cobble.

### 3 Size 90° Herringbone



For the above use: lakeland Derwentstone®, including lakeland Derwentstone® cobble, **Lakeland** Kendalstone including Lakeland Kendalstone cobble.

### Technical and General Information

### Development

Lakeland Pavers is continually developing its range of products and thus the contents of this brochure are subject to change without notice.

### Efflorescence

In common with our other concrete products made with a high cement content Lakeland Pavers products may exhibit the temporary surface phenomenon of efflorescence. this may appear as a milky white stain on the face of the product or the appearance of the paver may be such that the colour has faded. This is in no way detrimental to the performance of the product and responsibility cannot be accepted for its occurrence.

### Colour and Texture Variations

The manufacturing process of concrete products may result in variations in colour and texture which are unavoidable. The amount a product is rumbled may vary from batch to batch and product to product.

To minimise variation it is recommended that products are ordered from the same batch and that products are mixed from at least three different packs where possible. The process of producing Rumbled Products may result in them being covered with a light dust. The dust will naturally weather off, alternatively pressure washing them will have a more instant effect. This should be done prior to filling the joints with dry sand. It is recommended that the appearance be judged by viewing established sites rather than individual samples.

### Conditions of Sale

In the unlikely event that the products reach you in a less than satisfactory condition you should notify the retailer immediately. In addition to this, responsibility for costs incurred for uplifting and relaying unsatisfactory products may be prejudiced if, upon reasonable inspection, the defect ought to have been apparent before laying.

For further information call 017684 83617

or visit us at

www.lakelandconcrete.co.uk